



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,731	10/03/2005	Karsten Bruninghaus	09-139-WO-US	4322
20306 7590 08/04/2011 MCDONNELL BOEHNEN HULBERT & BERGHOFF LLP 300 S. WACKER DRIVE 32ND FLOOR CHICAGO, IL 60606				
EXAMINER KAO, JUTAI				
ART UNIT 2473		PAPER NUMBER		
MAIL DATE 08/04/2011		DELIVERY MODE PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/551,731

Applicant(s)

BRUNINGHAUS ET AL.

Examiner

JUTAI KAO

Art Unit

2473

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 December 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 9-11, 17-19 and 21-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 9-11, 17-19 and 21-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-945)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/30/2010 has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 9-11, 17-19 and 21-23 have been considered but are moot in view of the new ground(s) of rejection.

Regarding the argument and the amended features of the claims, the applicant argues that the amended claim requires that the claimed first wireless station determines that the establishment of the new data link should be delayed for a first period of time, not the base station or any other devices in the network. However, the current language used in the claim only requires that the "first station determines the delay" without limiting the claimed "first station to determine the delay without assistance from other devices". Therefore, in the newly cited reference, wherein the network informs the wireless terminal of the delay needed to make the connection, the corresponding wireless terminal also determines the length of the wait time based on the information provided by the network and reads on the current claim.

Second, the applicant argues that the intermediate optical switch disclosed by Desai would not have logically motivated one of ordinary skill to modify the Billhartz reference. Specifically, the applicant argues that Desai is based on an optical network with the resource being the internal resource of a switch fabric, as opposed to the wireless medium used in Billhartz and the claimed invention. However, Desai states in column 8, lines 33-40, that its invention "has been described with reference to optical networks, the process of allocating bandwidth may be implemented on other types of networks including...wireless networks". Therefore, it would be obvious to one of the ordinary skilled in the art at the time of the invention to look to Desai for its bandwidth allocation method to be implemented in a wireless network such as that of Billhartz's invention.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 9, 10, 21 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Billhartz (US 2004/0203820) in view of Desai (US 7,254,141) and Dalsgaard (US 6,792,284).

Billhartz discloses a method of allocating channels in a mobile ad hoc network including the following features.

Regarding claim 9, a method for controlling the transmission of data between a first and second wireless station over a wireless transmission medium connecting the first and second station (see communications between stations 1-5 in Fig. 2), said method comprising: the first wireless station receiving a request for a new data link having a first channel capacity at a first priority level generated from a first application at the first station (see "a source node transmitting quality-of-service (QoS) route requests..." recited in paragraph [0054], wherein the request must be generated by an application of the source node since the source node is the source of the request); the first wireless station determining an available free capacity of the wireless transmission medium (see "a reply that describes the most that it can support. Accordingly, the source can decide whether the level is good enough or whether to scale back the request..." recited in paragraph [0058]; that is, the other nodes makes a decision and informs the source of the decision and related resource information; the source then

determines the available capacity from the received information); the first wireless station determining that the free channel capacity at the first priority level is less than the requested first channel capacity (see "Replying to QoS route requests (block 214) may comprise indicating what traffic routing the node can support based upon the node QoS tag value, when the node cannot support the QoS parameter of the route request" recited in paragraph [0058]).

Billhartz does not disclose the following features: regarding claim 9, wherein the free channel capacity includes a currently unused capacity and at least a portion of capacity currently allocated to data links having a priority level less than the first priority level; and the first wireless station delaying the establishment of the new data link for a first period of time; regarding claim 10, preventing the degradation of already-existing data links having a priority level equal to the first priority level by excluding from the determination of free channel capacity the capacity currently allocated to data links having a priority level equal to the first priority level; regarding claim 21, the first wireless station establishing the new data link after the first period of time, the second wireless station determining that a second new data link established by the first wireless station having a priority equal to a priority of the one or more existing data link would cause a loss of quality of one or more existing data link; the second wireless station sending a message to the wireless first station instructing the first station to at least temporarily suspend the second new data link for a second period of time.

Desai discloses a method for allocating bandwidth in a communication network including the following features.

Regarding claim 9, wherein the free channel capacity includes a currently unused capacity and at least a portion of capacity currently allocated to data links having a priority level less than the first priority level (see Fig. 3, wherein steps 314 and 318 compares the available capacity with the requested bandwidth; and see “Avail(I), represents available bandwidth for a specific priority I, and is determined based on total bandwidth of the link minus the total bandwidth of all provisional and actual connections of higher or equal priority” recited in column 4, lines 45-50; although Desai discloses the operation for requests received by a switch, each of Billhartz’s wireless nodes is acting as a distributed switch controlling its own connections (see Billhartz paragraphs [0054]-[0057]); therefore, it would be obvious to look to Desai’s method of pre-empting lower classed service to modify Billhartz’s invention); the first station determining that the free channel capacity at the first priority level is less than the requested first channel capacity (see “No” branch of step 314 in Fig. 3).

Regarding claim 10, preventing the degradation of already-existing data links having a priority level equal to the first priority level by excluding from the determination of free channel capacity the capacity currently allocated to data links having a priority level equal to the first priority level (see “Avail(I), represents available bandwidth for a specific priority I, and is determined based on total bandwidth of the link minus the total bandwidth of all provisional and actual connections of higher or equal priority” recited in column 4, lines 45-50).

Regarding claim 21, the first wireless station establishing the new data link after the first period of time (see Fig. 3, which shows the steps of establishing a new

connection), the second wireless station determining that a second new data link established by the first wireless station having a priority equal to a priority of the one or more existing data link would cause a loss of quality of one or more existing data link (see step 314, which determines that the requested bandwidth exceeds the available bandwidth; see "Avail(I), represents available bandwidth for a specific priority I, and is determined based on total bandwidth of the link minus the total bandwidth of all provisional and actual connections of higher or equal priority" recited in column 4, lines 45-50); the second wireless station sending a message to the wireless first station instructing the first station to at least temporarily suspend the second new data link for a second period of time (see reject request 313 in Fig. 3).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Billhartz using features, as taught by Desai, in order to allow higher priority service to preempt resources held by lower priority services.

Dalsgaard discloses a method for managing cell reselection in a terminal including the following features.

Regarding claim 9, responsive to the free channel capacity determination, the first wireless station determining that the establishment of the new data link should be delayed for a first period of time (see "If the resources of the cell in question at the moment are insufficient for establishing a connection...the terminal must wait for a period specified by the network...." recited in column 13, line 33-54; wherein the wireless terminal determines the first period of time with information received from the network); the first wireless station delaying the establishment of the new data link for the

first period of time (see "the terminal must wait for a period specified by the network before it may make a new request to establish a connection in the cell in question" recited in column 13, line 33-54).

Regarding claim 21, wherein the second wireless connection is suspended (see "If the resources of the cell in question at the moment are insufficient for establishing a connection...the terminal must wait for a period specified by the network...." recited in column 13, line 33-54; wherein the wireless terminal determines the first period of time with information received from the network)

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Billhartz using features, as taught by Dalsgaard, such that the user rejected of the connection waits for resources to become available in order to make the connection without overloading the capacity of the system or degrading the quality of the desired connection.

6. Claims 11 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Billhartz, Desai and Dalsgaard as applied to claims 9-10 above, and further in view of Sastry (US 2003/0058871).

Billhartz, Desai and Dalsgaard disclose the claimed limitations as shown above.

Billhartz, Desai and Dalsgaard do not disclose the following features: regarding claim 11, wherein a maximum threshold level of capacity currently allocated to data links having a priority less than the first priority level that can be considered as free channel capacity is defined at the first wireless station, and applied in determining free

channel capacity, and the method further comprises preventing the first wireless station from characterizing all of the channel capacity currently allocated to data links having a priority level less than the first priority level above the maximum threshold level as free channel capacity; regarding claim 19, wherein the threshold level is a percentage of the capacity currently allocated to data links having a priority level less than the first priority level.

Sastry discloses a per hop behavior for differentiated services including the following features.

Regarding claim 11, wherein a maximum threshold level of capacity currently allocated to data links having a priority less than the first priority level that can be considered as free channel capacity is defined at the first wireless station (see "Classes with higher rate priorities receive a higher rate priority percentage of the available bandwidth than classes with lower rate priorities. These allocated rate priority percentages assure each class a minimum percentage of the actual available bandwidth" recited in paragraph [0043]; wherein as shown in Billhartz, determination of channel capacity is performed by the wireless stations of the ad hoc network; and the allocated rate priority of Sastry may be considered as a maximum threshold of capacity allocated to a priority), and applied in determining free channel capacity, and the method further comprises preventing the first wireless station from characterizing all of the channel capacity currently allocated to data links having a priority level less than the first priority level above the maximum threshold level as free channel capacity; (see "Classes with higher rate priorities receive a higher rate priority percentage of the

available bandwidth than classes with lower rate priorities. These allocated rate priority percentages assure each class a minimum percentage of the actual available bandwidth" recited in paragraph [0043]).

Regarding claim 19, wherein the threshold level is a percentage of the capacity currently allocated to data links having a priority level less than the first priority level (see "Classes with higher rate priorities receive a higher rate priority percentage of the available bandwidth than classes with lower rate priorities. These allocated rate priority percentages assure each class a minimum percentage of the actual available bandwidth" recited in paragraph [0043]).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Billhartz, Desai and Dalsgaard using features, as taught by Sastry, in order to "assure each class a minimum percentage of the actual available bandwidth if the actual available bandwidth degrades from the nominal bandwidth" (see Sastry, paragraph [0043]).

7. Claims 17-18 and 22 rejected under 35 U.S.C. 103(a) as being unpatentable over Billhartz Desai and Dalsgaard as applied to claims 9 and 21 above, and further in view of ZHAO (US 2008/0056226).

Billhartz, Desai and Dalsgaard disclose the claimed limitations as shown above.

Billhartz, Desai and Dalsgaard do not disclose the following features: regarding claim 17, after the first period of time, the first wireless station determining again that the free channel capacity at the first priority level is less than the requested first channel

capacity; and delaying the establishment of the new data link for a second period of time, the second period of time equal to the first period of time increased by a discrete value; regarding claim 18, wherein the determining of free channel capacity and delaying of the establishment the new data link is repeated until either the establishment of a data link is permitted or the attempt to establish the new link is finally halted by a termination condition; regarding claim 22, after the second period of time, the second wireless station determining that a third new link established by the first wireless station having a priority equal to a priority of the one or more existing data links would cause a loss of quality of the one or more existing data links; and sending a second message to the first wireless station instructing the first wireless station to at least temporarily suspend the third data link for a third period of time equal to the second period of time increased by a discrete value.

ZHAO discloses a method for maintaining a wireless data connection including the following features.

Regarding claim 17, after the first period of time, the first wireless station determining again that the free channel capacity at the first priority level is less than the requested first channel capacity (see Fig. 3, step 122, in which the connection may be delayed for a second time to the NO branch); and delaying the establishment of the new data link for a second period of time (setting the back off timer again in step 128 of Fig. 3), the second period of time equal to the first period of time increased by a discrete value (see "back off timer is set to ever-increasing values" recited in the abstract).

Regarding claim 18, wherein the determining of free channel capacity and delaying of the establishment the new data link is repeated until either the establishment of a data link is permitted or the attempt to establish the new link is finally halted by a termination condition (see Fig. 4, in which the connection is repeated in steps 118, 122, 128 and 130 until the connection is established in step 160).

Regarding claim 22, after the second period of time, the second wireless station determining that a third new link (see Fig. 3, in which an unlimited numbers of new links may be established as the connections are lost and then re-established in steps 124-126) established by the first wireless station having a priority equal to a priority of the one or more existing data links would cause a loss of quality of the one or more existing data links (see Desai Fig. 3, as the requested bandwidth C_i exceeds the available capacity $Avail(i)$); and sending a second message to the first wireless station instructing the first wireless station to at least temporarily suspend the third data (see step 166 in Fig. 4, in which a message is sent to release the connection) link for a third period of time equal to the second period of time increased by a discrete value (see Fig. 4, after step 166, after the connection is lost and the new connection is rejected in step 122, the connection is suspended at least for a back off time period as shown in step 130; see "back off timer is set to ever-increasing values" recited in the abstract; such that the time period is equal to the previous back off period increased by a discrete value).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Billhartz, Desai and Dalsgaard, in order to maintain an "always-on data connection" (see abstract of ZHAO).

8. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Billhartz, Desai and Dalsgaard as applied to claim 21 above, and further in view of Cloutier (US 6,754,189).

Billhartz, Desai and Dalsgaard disclose the claimed limitations as shown above.

Billhartz, Desai and Dalsgaard do not disclose the following features: regarding claim 23, wherein the determining that a second data link established by a first wireless station having a priority equal to a priority of the one or more existing data link would cause a loss of quality of the one or more existing links comprises detecting a buffer overflow condition.

Cloutier discloses a method of queue length based burst management in wireless communication system including the following features.

Regarding claim 23, wherein the determining that a second data link established by a first wireless station having a priority equal to a priority of the one or more existing data link would cause a loss of quality of the one or more existing links comprises detecting a buffer overflow condition (see "the quantity of data would exceed the buffer size (overflow) and data would be lost" recited in column 6, lines 24-26).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Billhartz using features, as taught by Cloutier such that the user rejected of the connection waits for resources to become available in order to make the connection without overloading the capacity of the system or degrading the quality of the desired connection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JUTAI KAO whose telephone number is (571)272-9719. The examiner can normally be reached on Monday ~Friday 7:30 AM ~5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kwang Yao can be reached on (571)272-3182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ju-Tai Kao
/Ju-Tai Kao/
Examiner, Art Unit 2473